


業績目録（伊藤弘昌）

著者	東北大学史料館
号	1048
発行年	2007-03
URL	http://hdl.handle.net/10097/00065865

伊藤弘昌教授業績目録

平成 19 年 3 月
東北大学史料館
(著作目録第 1048 号)



伊藤 弘 昌 教 授 略 歴

生年月日	昭和18年 8月31日
本 籍 地	千葉県
職 名	教授
所 属	電気通信研究所

最終学歴

昭和47年 3 月	東北大学大学院工学研究科電子工学専攻博士課程修了
-----------	--------------------------

学 位

昭和47年 3 月	工学博士（東北大学）
-----------	------------

職 歴

昭和47年 4 月	東北大学電気通信研究所助手
昭和50年10月	日本学術振興会派遣、スタンフォード大学 客員研究員（昭和51年 9 月まで）
昭和57年 1 月	東北大学電気通信研究所助教授
平成 5 年 1 月	東北大学電気通信研究所教授
平成 9 年10月	理化学研究所フォトダイナミクス研究センター 「光発生・計測研究」チームリーダー兼務（平成17年 9 月まで）
平成13年 4 月	東北大学未来科学技術共同研究センター副センター長
平成14年 4 月	東北大学未来科学技術共同研究センター長
平成15年 4 月	東北大学電気通信研究所教授
平成16年 4 月	東北大学電気通信研究所所長
平成17年 6 月	科学技術振興機構戦略的創造研究事業 研究領域「光の創成・操作と展開」研究総括兼務
平成17年10月	理化学研究所テラヘルツ光研究プログラム テラヘルツ光源研究チームリーダー兼務

平成19年 3 月 定年退職

受 賞

昭和46年 4 月 電子情報通信学会米沢賞
平成元年 5 月 電子情報通信学会論文賞
平成12年 2 月 米国光学会 (OSA) フェロー
平成12年 5 月 レーザー学会レーザー研究論文賞
平成15年 5 月 電子情報通信学会論文賞
平成15年 9 月 電子情報通信学会フェロー

学会等における活動

応用物理学会理事 (平成 7 年～平成 9 年)
応用物理学会評議員 (平成 9 年～平成19年)
応用物理学会推薦委員会委員 (平成 18 年～平成 19 年)
応用物理学会東北支部長 (平成 14 年～平成 15 年)
(社) 電子情報通信学会評議員 (平成 10 年～平成 12 年, 平成 16 年～平成 18 年)
(社) 電子情報通信学会エレクトロニクスソサイエティ会長 (平成 13 年)
(社) 電子情報通信学会レーザー・量子エレクトロニクス研究会委員長 (平成 10 年)
(社) レーザー学会評議員 (平成 15 年～平成 19 年)
(社) レーザー学会学術講演会第 25 回実行委員会委員 (顧問) (平成 16 年～平成 17 年)
(社) レーザー学会東北海道支部長 (平成 13 年～平成 17 年)
(社) 光技術振興協会 技術動向調査委員会委員長 (平成 8 年～平成 12 年)
CLEO/Pacific Rim 2005 委員長 (平成 17 年)
Ninth International Symposium on Contemporary Photonics Technology (CPT2006)
運営委員長 (平成 17 年 7 月～平成 18 年 3 月)
第 23 回レーザーラダ国際会議組織委員会委員 (平成 17 年 11 月～平成 18 年 9 月)

社会における活動

平成 13 年度文部科学省 21 世紀型産学官連携手法の構築に係るモデル事業
「国立大学設置形態変更に伴う既設 TLO の組織・運営に係る委員会」委員長 (平成13年)
平成 15 年度文部科学省 21 世紀型産学官連携手法の構築に係るモデル事業
「知的財産の管理・活用の具体的在り方」委員会委員長 (平成 15 年)
文部科学省科学技術・学術審議会技術・研究基盤部会産学官連携推進委員会
知的財産ワーキング・グループ 主査 (平成 14 ～平成 15 年)
文部科学省科学技術・学術審議会技術・研究基盤部会産学官連携推進小委員会
知的財産 WG 主査 (平成 15 年～平成 17 年)
文部科学省科学技術・学術審議会技術・研究基盤部会産学官連携推進委員会委員
(平成 17 年～平成 19 年)
文部科学省高等教育局法科大学院専門職大学院形成支援事業選定委員会
法科大学院審査部会委員 (平成 16 年～平成 17 年)
経済産業省特許庁特許制度小委員会委員 (平成 16 年～平成 17 年)
独立行政法人科学技術振興機構科学技術審議会部会委員 (平成 16 年～平成 19 年)
独立行政法人科学技術振興機構知的財産委員会委員 (平成 15 年～平成 17 年)
独立行政法人科学技術振興機構サテライト岩手アドバイザー (平成 17 年～平成 19 年)
宮城県産業振興審議会委員 (平成 16 年～平成 18 年)
東北原子力懇談会参与 (平成 16 年～平成 19 年)
(財) 半導体研究振興会理事 (平成 16 年～平成 19 年)
(財) 電気通信工学振興会理事 (平成 16 年～平成 19 年)

(財) 光産業技術振興協会櫻井健二郎氏記念賞委員会委員 (平成 11 年～平成 18 年)

(財) 亀井記念財団評議員 (平成 18 年～平成 19 年)

(財) みやぎ産業科学振興基金理事 (平成 9 年～平成 19 年)

(株) 東北テクノアーチ取締役 (平成 15 年～平成 16 年)

(社) みやぎ工業会特別会員 (平成 16 年～平成 19 年)

大阪大学レーザーエネルギー学研究センター参与 (平成 17 年～平成 19 年)

総合科学技術会議基本政策専門調査会分野別推進戦略情報通信分野

プロジェクトチーム分科会委員 (平成 17 年 12 月～平成 18 年 3 月)

独立行政法人新エネルギー・産業技術総合開発機構技術委員 (平成 18 年～平成 20 年)

業 績 目 録

1. 著書・編書（共著書等含む）

- 1 Self-Locking Operation of a CO₂ Laser,
H. Inaba and H. Ito, Laser Focus, No.1, 25 (1969).
- 2 Springer Series in Optical Sciences, Tunable Lasers and Applications,
Edited by A.Mooradian, T.Jaeger, P.Stokseth,
STUDY ON PHASE-MATCHING CHARACTERISTICS OF OPTICAL SECOND
HARMONIC GENERATION IN NONLINEAR THIN-FILM WAVEGUIDES
USING A TUNABLE PARAMETARIC OSCILLATOR,
H.Ito and H.Inaba, Springer-Verlag, 353-360 (1976).
- 3 極微構造エレクトロニクス, 難波進（編著）,
6.3.4 集積化機能デバイス, 稲場文男, 伊藤弘昌, オーム舎, 465-471 (1986).
- 4 光コンピュータ技術, 谷田貝豊彦（監修）,
第3章 第2節 光論理素子, 伊藤弘昌, トリケップス, 153-166 (1989)
- 5 超高速光エレクトロニクス, 末田正・神谷武志（共編）,
14 光コンピューティングの基礎技術, 伊藤弘昌, 培風館, 311-320 (1991).
- 6 有機非線形光学材料の開発と応用, 中西八郎, 小林孝嘉, 中村新男, 梅垣真祐
（編集）,
第4章 無機系材料 1 疑似位相整合, 伊藤弘昌, 190-198 (1991).
- 7 NONLINEAR OPTICS Fundamentals, Materials and Devices, Edited by
S.Miyata, Fabrization of periadic domain grating by electron beam writing and its
application to nonlinear optics, Hiromasa Ito, NORTH-HOLLAND, 495-500(1992).
- 8 Optische Comouter, Edited by Fumio Inaba,
2.5 Optische Logik-Bauelemente, Ito,H. Okumura,K. Inaba,F., Springer-Verlag,
75-91(1992).
- 9 Nonlinear Optics SECTION B Principles, Materials, Phenomena, and Devices,
Edited by Takayoshi Kobayashi,
500 μ m-Thick Periodic Volume Domain Grating of LiTaO₃ Fabricated by Static
Electric Field,
HIROMASA ITO, CHOICHI TAKYU, MOTOKI OHASHI and MANABU
SATO,GORDIN AND BREACH PUBLISHERS, 283-289 (1995)

- 10 Ultrafast and Ultra-parallel Optoelectronics, Edited by T.SUETA, T.OKOSHI,
3.2 Nonlinear Interactions in Periodic Domain Reversals,
Hiromasa Ito, Ohmsha, Ltd. 117-124 (1995).
- 11 Coherent Control in Atoms, Molecules, and Semiconductors,
Edited by Walter Poetz and W. Andreas Schroeder,
GENERATION OF WIDELY TUNABLE THz-WAVE USING NONLINEAR
OPTICS, KODO KAWASE and HIROMASA ITO,
Kluwer Academic Publishers, London, 213-220 (1999).
- 12 Coherent Tunable THz Oscillation by Nonlinear Optics,
Hiromasa Ito, Kodo Kawase and Jun-ichi Shikata, Femtosecond Technology
(1999).
- 13 Solid-state mid-infrared laser sources, Topics Appl. Phys. 89,
I. T. Sorokina, K. L. Vodopyanov (Eds.):
Narrow-linewidth tunable terahertz-wave sources using nonlinear optics,
Kodo Kawase, Jun-ichi Shikata, and Hiromasa Ito,
Springer-Verlag Berlin Heiderberg, 397-423 (2003).
- 14 分極反転デバイスの基礎と応用 光・電子デバイスの新基軸を開く材料テクノロジー,
宮澤信太郎, 栗村直 (監修),
6.1.4 THz 波発生デバイス, 佐々木雄三, 伊藤弘昌,
オプトロニクス社, 320-330 (2005).
- 15 有機結晶材料の最新技術, 中西八郎 (監修),
第 16 章 結晶の切削研磨, 水津光司, 伊藤弘昌, シーエムシー出版, 174-184
(2005).
- 16 テラヘルツ波の基礎と応用, 西澤潤一 (編著),
誘電体のテラヘルツ波発振器, 伊藤弘昌, 川瀬晃道, 工業調査会, 105-135 (2005).

II. 研究論文 (単独執筆・共同執筆)

- 1 Fundamental Study of Operational Performance of a Lasar Radar System
Employing A-Scope Representation, H. Inaba, T. Kobayashi, T. Ichimura,
M. Morishita and H. Ito, Electronics and Communications in Japan, 51-B, 9, 36-44
(1968).

- 2 Observation of power-dependent distortion of an infrared beam at $10.6\mu\text{m}$ from a CO_2 laser during propagation in liquids, Humio Inaba, and Hiromasa Ito, IEEE J. Quantum Electron., QE-4, 2, 45-48 (1968).
- 3 A-スコープ方式レーザー・レーダの基本的動作特性, 稲場文男, 小林喬郎, 市村勉, 森久光雄, 伊藤弘昌, 電子通信学会論文誌, 51-B, 9, 417-424 (1968).
- 4 CO_2 レーザー・ビームの液体中における Self-defocusing 効果, 伊藤弘昌, 稲場文男, 応用物理, 37, 10, 916(26)-925(35) (1968).
- 5 Self Mode-Locking of the Transverse Modes in the CO_2 Laser Oscillation, H. Ito and H. Inaba, Optics Communications, 1, 2, 61-63 (1969).
- 6 Studies of tunable four-photon parametric fluorescence of crystals in the visible region, H. Ito and H. Inaba, J. Opto-electron., 2, 81-84 (1970).
- 7 非線形光学結晶による可変波長4光子パラメトリック発光, 伊藤弘昌, 稲場文男, 応用物理, 40, 8, 838(16)-843(21) (1971).
- 8 沃素酸結晶(HIO_3)の非線形光学特性の解析, 伊藤弘昌, 内藤初彦, 稲場文男, 応用物理, 41, 11, 1201(37)-1206(42) (1972).
- 9 New phase-matchable nonlinear optical crystals of the formate family, Hiromasa Ito, Hatsuhiko Naito, and Humio Inaba, IEEE J. Quant. Electron., QE-10, 2, 247-252 (1974).
- 10 Phase-matched guided optical second harmonic wave generation in oriented ZnS polycrystalline thin-film waveguides, H. Ito, N. Uesugi, H. Inaba, Appl. Phys. Lett., 25, 7, 385-387 (1974).
- 11 Generalized study on angular dependence of induced second-order nonlinear optical polarizations and phase matching in biaxial crystals, Hiromasa Ito, Hatsuhiko Naito, and Humio Inaba, J. Appl. Phys., 46, 9, 3992-3998 (1975).
- 12 Phase-matched guided, optical second-harmonic generation in nonlinear ZnS thin-film waveguide deposited on nonlinear LiNbO_3 substrate, Hiromasa Ito, and Humio Inaba, Optics Commun., 15, 1, 104-107 (1975).
- 13 Polaritons and optical phonon assignment in orthorhombic $\text{HCOOLi}\cdot\text{H}_2\text{O}$ crystal by raman scattering measurement, M. Yamamoto, H. Ito, and H. Inaba, Phys. Lett., 55A, 5, 303-305 (1975).

- 14 Lasing characteristics and growth of CdS epitaxial thin-films excited by second harmonic Nd:YAG laser radiation at 473nm, Hitoshi Kawaguchi, Hiromasa Ito, and Humio Inaba, *Optics Commun.*, 16, 1, 26-29 (1976).
- 15 Efficient phase-matched second-harmonic generation method in four-layered optical-waveguide structure, H. Ito, and H. Inaba, *Opt. Lett.*, 2, 6, 139-141 (1978).
- 16 Integrated bistable optical device using mach-zehnder interferometric optical waveguide, Hiromasa Ito, Yoh Ogawa, and Humio Inaba, *Electron. Lett.*, 15, 10, 283-285 (1979).
- 17 Integrated coherent infrared generator operated at room temperature using nonlinear optical waveguide structure, Hiromasa Ito, and Humio Inaba, *Proceedings of the IEEE*, 67, 10, 1455-1456 (1979).
- 18 Picosecond optical pulse generation from an R.F. modulated AlGaAs D.H. diode laser, Hiromasa Ito, Hiroyuki Yokoyama, Shigeru Murata, and Humio Inaba, *Electron. Lett.*, 15, 23, 738-740 (1979).
- 19 Integrated bistable optical multivibrator using electro-optically controlled directional coupler switches, Hiromasa Ito, Yoh Ogawa, Kikuo Makita, and Humio Inaba, *Electron. Lett.*, 15, 24, 791-793 (1979).
- 20 Integrated astable optical multivibrator using mach-zehnder interferometric optical switches, H. Ito, Y. Ogawa, and H. Inaba, *Electron. Lett.*, 16, 15, 593-595 (1980).
- 21 Bandwidth limited picosecond optical pulse generation from actively mode-locked AlGaAs diode laser, H. Ito, H. Yokoyama, and H. Inaba, *Electron. Lett.*, 16, 16, 620-621 (1980).
- 22 Active Q-switching of lateral field coupling control D.H. Laser, H. Ito, K. Gen-ei, H. Inaba, *Electron. Lett.*, 16, 22, 846-847 (1980).
- 23 Self-Q-switched picosecond optical pulse generation with tandem-type AlGaAs TJS laser, H. Ito, N. Onodera, K. Gen-ei, and H. Inaba, *Electron. Lett.*, 17, 1, 15-17 (1981).
- 24 高周波変調にもとづく AlGaAs 半導体レーザーからの超短光パルス発生, 伊藤弘昌, 村田茂, 横山弘之, 稲場文男, *応用物理*, 50, 1, 18-28 (1981).

- 25 Analyses and experiments on integrated optical multivibrators using electrooptically controlled bistable optical devices, Hiromasa Ito, Yoh Ogawa, and Humio Inaba, *IEEE J. Quantum Electron.*, QE-17, 3, 325-331 (1981).
- 26 Generation of picosecond optical pulses with highly RF modulated AlGaAs DH laser, Hiromasa Ito, Hiroyuki Yokoyama, Shigeru Murata, and Humio Inaba, *IEEE J. Quantum Electron.*, QE-17, 5, 663-670 (1981).
- 27 モード同期 AlGaAs 半導体レーザによるコヒーレント超短光パルスの発振特性, 横山弘之, 多田康彦, 伊藤弘昌, 稲場文男, 電子通信学会論文誌, J64-C, 8, 445-452 (1981).
- 28 New bistable optical device using semiconductor laser diode, Yoh Ogawa, Hiromasa Ito, and Humio Inaba, *Jpn. J. Appl. Phys.*, 20, 9, L646-L648 (1981).
- 29 Generation of subpicosecond coherent optical pulses by passive mode locking of an AlGaAs diode laser, Hiroyuki Yokoyama, Hiromasa Ito, and Humio Inaba, *Appl. Phys. Lett.*, 40, 2, 105-107 (1982).
- 30 Bistable optical device using a light emitting diode, Yoh Ogawa, Hiromasa Ito, and Humio Inaba, *Applied Optics*, 21, 1878-1880 (1982).
- 31 High peak-power picosecond optical pulse generation from highly RF-modulated InGaAsP DH diode laser, Noriaki Onodera, Hiromasa Ito, and Humio Inaba, *Electron. Lett.*, 18, 19, 811-812 (1982).
- 32 光双安定半導体レーザおよび発光ダイオードの多機能化, 奥村謙一郎, 小川洋, 伊藤弘昌, 稲場文男, 電子通信学会論文誌, J66-C, 5, 393-400 (1983).
- 33 光双安定発光ダイオードの自励発振および単安定動作, 奥村謙一郎, 小川洋, 伊藤弘昌, 稲場文男, 電子通信学会論文誌, J66-C, 5, 401-408 (1983).
- 34 Ultrashort optical pulse generation from microwave modulation AlGaAsP diode laser with selfoc foc resonator, Yasuhiko Tada, Hiroyuki Yokoyama, Hiromasa Ito, Humio Inaba, *Opt. Commun.*, 47, 3, 187-189 (1983).
- 35 光双安定半導体レーザ, 小川洋, 伊藤弘昌, 稲場文男, 応用物理, 52, 10, 877-882 (1983).

- 36 Real-time measurement of picosecond optical pulses from an InGaAsP diode laser using an ultrafast streak camera with infrared frequency up-conversion, Noriaki Onodera, Hiromasa Ito, and Humio Inaba, Appl. Phys. Lett., 43, 8, 720-722 (1983).
- 37 Optical remote monitoring of CH₄ gas using low-loss optical fiber link and InGaAsP light-emitting diode in 1.33- μ m region, Kinpui Chan, Hiromasa Ito, and Humio Inaba, Appl. Phys. Lett., 43, 7, 634-636 (1983).
- 38 Absorption measurement of $\nu_2 + 2\nu_3$ band of CH₄ at 1.33 μ m using an InGaAsP light emitting diode, Kinpui Chan, Hiromasa Ito, and Humio Inaba, Appl. Opt., 22, 23, 3802-3804 (1983).
- 39 サブピコ秒コヒーレント光パルスの受動モード同期 AlGaAs 半導体レーザによる発生, 横山弘之, 伊藤弘昌, 稲場文男, 電子通信学会論文誌, J67-C, 1, 142-149 (1984).
- 40 結合度可変共振器型半導体レーザの変調特性の解析, 玄永康一, 伊藤弘昌, 稲場文男, 電子通信学会論文誌, J67-C, 1, 126-133 (1984).
- 41 Laser-Excited Photochemical Effect on Biological Cells Containing Pheophorbide a II. Time-Resolved Measurements of Fluorescence Intensity Distribution in a Cancer Cell, S. Kikuchi, S. Sato, H. Ito, H. Inaba and S. Kimura, 日本レーザー医学会誌, 4, 1, 57-58 (1984).
- 42 Laser-Excited Photochemical Effect on Biological Cells Containing Pheophorbide a I. Generation of Singlet Molecular Oxygen and Effect on Cultured Cancer Cells, S. Takahashi, S. Sato, H. Ito, H. Inaba, S. Kimura, T. Akaishi, Y. Taguchi and M. Kasai, 日本レーザー医学会誌, 4, 1, 99-100 (1984).
- 43 Analysis of modulation characteristics of semiconductor laser with lateral field coupling, K. Gen-ei, H. Ito, and H. Inaba, Electron. and Commun. in Japan, 67-C, 6, 96-103 (1984).
- 44 An optical-fiber-based gas sensor for remote absorption measurement of low-level CH₄ in the near-infrared region, K. Chan, H. Ito, and H. Inaba, J. Lightwave Tech., LT-1, 3, 234-237 (1984).
- 45 Novel structure of laser diode and light-emitting diode realised by coaxial transverse junction (CTJ), H. Ito, N. Komagata, H. Yamada, and H. Inaba, Electron. Lett., 20, 14, 577-579 (1984).

- 46 Microprocessing of GaAs cylindrical columns for integrated optical device fabrication by Cl_2 -Ar reactive ion etching, H. Yamada, H. Ito and H. Inaba, *Electron. Lett.*, 20, 14, 591-592 (1984).
- 47 All-optical remote monitoring of propane gas using a 5-km-long, low-loss optical fiber link and an InGaP light-emitting diode in the $1.68\text{-}\mu\text{m}$, K. Chan, H. Ito, and H. Inaba, *Appl. Phys. Lett.*, 45, 3, 220-222 (1984).
- 48 Fourier-transform-limited, single-mode picosecond optical pulse generation by a distributed feedback InGaAsP diode laser, N. Onodera, H. Ito, and H. Inaba, *Appl. Phys. Lett.*, 45, 8, 843-845 (1984).
- 49 Remote sensing system for near-infrared differential absorption of CH_4 gas using low-loss optical fiber link, K. Chan, H. Ito, and H. Inaba, *Appl. Opt.*, 23, 19, 3415-3420 (1984).
- 50 Optical logic inverter and AND elements using laser or light-emitting diodes and photodetectors in a bistable system, K. Okumura, Y. Ogawa, H. Ito, and H. Inaba, *Opt. Lett.*, 9, 11, 519-521 (1984).
- 51 Optical-fibre remote sensing system of low-level propane gas using a $1.68\mu\text{m}$ InGaAs light emitting diode, Kinpui Chan, Hiromasa Ito, and Humio Inaba, *Optics and Lasers in Engineering*, 6, 119-123 (1985).
- 52 Fully optical remote measurement of CH_4 gas in the near infra-red using a 5 km long low-loss optical fibre link, K. Chan, T. Furuya, H. Ito, and H. Inaba, *Opt. Quantum Electron.*, 17, 1, 153-155 (1985).
- 53 Optical bistability and monolithic logic functions based on bistable laser/light-emitting diodes, K. Okumura, Y. Ogawa, H. Ito, and H. Inaba, *IEEE J. Quantum Electron.*, QE-21, 4, 377-382 (1985).
- 54 Anisotropic reactive ion etching technique of GaAs and AlGaAs materials for integrated optical device fabrication, H. Yamada, H. Ito, and H. Inaba, *J. Vacuum Science and Technol.*, B3, 3, 884-888 (1985).
- 55 Generation and control of bandwidth-limited, single-mode picosecond optical pulses by strong RF modulation of a distributed feedback InGaAsP diode laser, N. Onodera, H. Ito, and H. Inaba, *IEEE J. Quantum Electron.*, QE-21, 6, 568-575 (1985).

- 56 微小ゲル粒子層を周期構造として用いた分布帰還型色素レーザー, 張耐, 鈴木隆之, 伊藤弘昌, 稲場文男, 応用物理, 54, 8, 841-846 (1985).
- 57 10 km-long fibre-optic remote sensing of CH₄ gas by near infrared absorption, K. Chan, H. Ito, H. Inaba, and T. Furuya, Appl. Phys. B, B38, 1, 11-15 (1985).
- 58 Highly sensitive fluorescence microscope system for single biological cell using laser excitation and digital image processing and display, S. Sato, H. Ito, H. Inaba, Y. Taguchi, and M. Kasai, Optical and Quantum Electronics, 18, 1, 81-84 (1986).
- 59 Bandwidth-limited, single-longitudinal-mode, ultrashort optical pulse generation by a strongly RF-modulated, distributed Bragg reflector InGaAsP laser at 1.3 μ m, N. Zhang, N. Onodera, H. Ito, and H. Inaba, Electron. Lett., 22, 22, 1194-1196 (1986).
- 60 All-optical remote sensing of city gas through CH₄ gas absorption employing a low-loss optical fiber link and and InGaAsP light-emitting diode in the near-infrared region, M. C. Alarcon, H. Ito, and H. Inaba, Appl. Phys., B43, 79-83 (1987).
- 61 半導体レーザーによる短光パルス生成, 伊藤弘昌, レーザー研究, 15, 11, 849-854 (1987).
- 62 All-optical-fiber-based remote sensing system for near-infrared absorption of low-level CH₄ gas, K. Chan, H. Ito, and H. Inaba, J. Lightwave Technol., LT-5, 12, 1706-1711 (1987).
- 63 Surface-emitting GaAs light-emitting diode/laser diode with modified coaxial transverse junction (CTJ) structure, H. Yamada, H. Watanabe, H. Ito, and H. Inaba, Electron. Lett., 24, 2, 77-78 (1988).
- 64 Compression of picosecond optical pulses from a strongly RF modulated InGaAsP DBR diode laser using a Gires-Tournois Interferometer, N. Zhang, A. Terukina, H. Ito, and H. Inaba, Electronics and Communications in Japan, Part 2, 71, 12, 100-107 (1988).
- 65 Gires-Tournois 干渉計を用いた分布ブラッグ反射形 InGaAsP 半導体レーザからの超短光パルスの圧縮, 張耐, 照喜名朝男, 伊藤弘昌, 稲場文男, 電子情報通信学会論文誌 C, J71-C, 2, 205-211 (1988).

- 66 Bandwidth-limited, single longitudinal mode ps optical pulse generation from a strongly RF-modulated distributed feedback GaInAsP diode laser at $1.54\mu\text{m}$, N. Zhang, H. Ito, and H. Inaba, Electron. Lett., 24, 7, 369-370 (1988).
- 67 Angle tuning characteristics of second harmonic generation in KTiOPO₄, T. Nishikawa, N. Uesugi, and H. Ito, Appl. Phys. Lett., 55, 19, 1943-1945 (1989).
- 68 Direct write-out of particle size distribution of inhaled aerosol deposition using a laser scattering method, M. Ishii, H. Iijima, U. Katsumata, Y. Shimizu, H. Inoue, H. Sasaki, T. Takishima, H. Ishihara, T. Kobayashi, H. Ito and H. Inaba, Respiration Physiology, 78, 1, 107-121 (1989).
- 69 半導体レーザーと位相共役, 伊藤弘昌, 光学, 18, 3, 143-144 (1989).
- 70 周期ドメイン反転光導波路による第二高調波発生, 伊藤弘昌, 光学, 19, 6, 373-374 (1990).
- 71 Fabrication of periodic domain grating in LiNbO₃ by electron beam writing for the application of nonlinear optical processes, H. Ito, C. Takyu, and H. Inaba, Electron. Lett., 27, 14, 1221-1222 (1991).
- 72 電子ビーム照射によるドメイン反転周期構造と疑似位相整合, 伊藤弘昌, レーザー研究, 20, 4, 236-243 (1992).
- 73 Cerenkov-type second harmonic generation from LiNbO₃ waveguide with periodic domain grating, H. Ito, T. Fujiwara, and C. Takyu, Opt. Commun., 99, 237-240 (1993).
- 74 Submillimeter Generation using Periodic Domain Reversals, Kodo Kawase and Hiromasa Ito, Nonlinear Optics, 7, 225-229 (1994).
- 75 Nonlinear Optics using Periodic Domain Inverted Structures, Hiromasa Ito, Nonlinear Optics, 7, 327-331 (1994).
- 76 電子ビーム描画による強誘電体非線形光学結晶の周期ドメイン反転構造の検討, 大橋基樹, 田久長一, 谷口浩一, 伊藤弘昌, 電子情報通信学会論文誌 C-I, J77-C-I, 6, 383-389 (1994).
- 77 Interferometric studies on a diode-pumped Nd:YVO₄ laser with frequency-shifted feedback, K. Nakamura, K. Kasahara, M. Sato, H. Ito, Optics Comm., 121(1995), 137-140.

- 78 500 μ m-Thick Periodic Volume Domain Grating of LiTaO₃ Fabricated by Static Electric Field, Hiromasa Ito, Choichi Takyu, Motoki Ohashi and Manabu Sato, *Nonlinear Optics*, 14, 283-289 (1995).
- 79 Ferroelectric Periodic Domain Inversion by Electron Beam Writing in Optical Nonlinear Crystal, Motoki Ohashi, Choichi Takyu, Hiromasa Ito, and Hirokazu Taniguchi, *Electronics and Communications in Japan, Part 2*, 78, 4, 1-8 (1995).
- 80 Efficient continuous-wave lasing operation of Nd:KGd(WO₄)₂ at 1.067 μ m with diode and Ti:sapphire laser pumping, Jose M.Esmeria Jr., Hiroyuki Ishii, Manabu Sato and Hiromasa Ito, *Optics Letters*, 20, 14, 1538-1540 (1995).
- 81 Ordinary and extraordinary continuous wave lasing at 1.092 and 1.082 μ m in bulk Nd:LiTaO₃ crystal, Kazi Sarwar Abedin, Manabu Sato, Hiromasa Ito, Toshiki Maeda, Kiyoshi Shimamura and Tsuguo Fukuda, *J. Appl. Phys.*, 78, 2, 691-693 (1995).
- 82 電界印加法によるバルク型 LiTaO₃ ドメイン反転格子, 佐藤学, 大橋基樹, アベディン・カジ・サルワル, 田久長一, 伊藤弘昌, 電子情報通信学会論文誌, J78-C-I, 8, 366-372 (1995).
- 83 Integrated electro-optic Q switching in a domain-inverted Nd:LiTaO₃ Laser. Kazi Sarwar Abedin, Takehiro Tsuritani, Manabu Sato, Hiromasa Ito, Kiyoshi Shimamura and Tsuguo Fukuda, *Optics Letters*, 20, 19, 1985-1987 (1995).
- 84 Characteristics of THz-wave radiation using a monolithic grating coupler on a LiNbO₃ crystal, Kodo Kawase, Manabu Sato, Tetsuo Taniuchi, and Hiromasa Ito, *Int. J. of Infrared and Millimeter Waves*, 17, 11, 1839-1849 (1996).
- 85 Bulk-Type Domain Reversal Grating of LiTaO₃ Crystal Fabricated by Direct Electric Field, Manabu Sato, Motoki Ohashi, Kazi Sarwar Abedin, Choichi Takyu, and Hiromasa Ito, *Electronics and Communications in Japan, Part 2*, 79, 2, 70-77 (1996).
- 86 Coherent tunable THz-wave generation from LiNbO₃ with monolithic grating coupler, Kodo Kawase, Manabu Sato, Tetsuo Taniuchi, and Hiromasa Ito, *Appl. Phys. Lett.*, 68, 18, 2483-2485 (1996).
- 87 Temperature-dependent dispersion relation of ferroelectric lithium tantalite, Kazi Sarwar Abedin and Hiromasa Ito, *J. Appl. Phys.*, 80, 11, 6561-6563 (1996).

- 88 Spectral Characteristics of an All Solid-State Frequency-Shifted Feedback Laser, Koichiro Nakamura, Fumitoshi Abe, Kumio Kasahara, Takefumi Hara, Manabu Sato, and Hiromasa Ito, *IEEE J. of Quantum Electronics*, 33, 1, 103-111 (1997).
- 89 Integrated intracavity quasi-phase-matched second harmonic generation based on periodically poled Nd:LiTaO₃, Kazi Sarwar Abedin, Takehiro Tsuritani, Manabu Sato, and Hiromasa Ito, *Appl. Phys. Lett.*, 70, 1, 10-12 (1997).
- 90 Spectral dynamics of an all solid-state frequency-shifted feedback laser, Kumio Kasahara, Koichiro Nakamura, Manabu Sato and Hiromasa Ito, *Optical Review*, 4, 1B, 180-184 (1997).
- 91 非線形光学効果を用いた Nd:YAG レーザー励起広帯域波長可変 THz 波の発生, 伊藤弘昌, 川瀬晃道, *光学*, 26, 2, 99-100 (1997).
- 92 Chirped-frequency generation in a translated-grating-type frequency-shifted feedback laser, Koichiro Nakamura, Frank V. Kowalski, and Hiromasa Ito, *Optics Letters*, 22, 12, 889-891 (1997).
- 93 Liquid-crystal microlens with a beam-steering function, Shin Masuda, Sounosuke Takahashi, Toshiaki Nose, Susumu Sato, and Hiromasa Ito, *Applied Optics*, 36, 20, 4772-4778 (1997).
- 94 Unidirectional radiation of widely tunable THz wave using a prism coupler under noncollinear phase matching condition, Kodo Kawase, Manabu Sato, Koichiro Nakamura, Tetsuo Taniuchi, and Hiromasa Ito, *Appl. Phys. Lett.*, 71, 6, 753-755 (1997).
- 95 Multimode-laser reflectometer with a multichannel wavelength detector and its application, Tadayuki Funaba, Naohiro Tanno, and Hiromasa Ito, *Applied Optics*, 36, 34, 8919-8928 (1997).
- 96 Dynamic properties of an all solid-state frequency-shifted feedback laser, Kumio Kasahara, Koichiro Nakamura, Manabu Sato, and Hiromasa Ito, *Quantum Electronics*, 34, 1, 190-203 (1998).
- 97 Widely Tunable Coherent Terahertz-Wave Generation Using Nonlinear Optical Effect, Kodo Kawase, Junichi Shikata, Manabu Sato, Tetsuo Taniuchi, and Hiromasa Ito, *Electronics and Communications in Japan, Part 2*, 81, 7 (1998).

- 98 Widely tunable THz-wave generation by nonlinear optics, Hiromasa Ito, Kodo Kawase, and Junichi Shikata, IEICE TRANS. ELECTRON., E81-C, 2, 264-268 (1998).
- 99 非線形光学効果を用いた広帯域波長可変コヒーレント THz 波発生, 川瀬晃道, 四方潤一, 佐藤学, 谷内哲夫, 伊藤弘昌, 電子情報通信学会論文誌 C-I, J81-C-I, 2, 66-73 (1998).
- 100 Frequency shifted feedback lasers: continuous or stepwise frequency chirped output?, Frank V. Kowalski, Koichiro Nakamura, Hiromasa Ito, Optics Communications, 147 (1998), 103-106.
- 101 Difference frequency generation of 5-18 μ m in a AgGaSe₂ Crystal, Abedin Kazi Sarwar, Sajjad Haidar, Yuji Konno, Choichi Takyu, and Hiromasa Ito, Applied Optics, 37, 9, 1642-1646 (1998).
- 102 LiNbO₃を用いた光パラメトリック発振によるコヒーレント THz 波発生の基礎特性, 四方潤一, 川瀬晃道, 佐藤学, 谷内哲夫, 伊藤弘昌, 電子情報通信学会論文誌, J81-C-I, 5, 267-273 (1998).
- 103 Observation of a highly phase-correlated chirped frequency comb output from a frequency-shifted feedback laser, Koichiro Nakamura, Toshiharu Miyahara, and Hiromasa Ito, Applied Physics Letters, 72, 21, 2631-2633 (1998).
- 104 パラメトリック発振による波長可変テラヘルツ電磁波の発生と応用, 川瀬晃道, 伊藤弘昌, レーザー研究, 26, 7, 522-526 (1998).
- 105 光波と電波の谷間を結ぶ非線形光パラメトリックデバイス, 佐藤学, 伊藤弘昌, レーザー研究, 26, 8, 598-602 (1998).
- 106 テラヘルツ光源の最近の進歩: レーザー光を用いた THz 波発生, 川瀬晃道, 伊藤弘昌, 光学, 27, 8, 412-417 (1998).
- 107 擬似位相整合を用いた波長変換デバイス, 谷内哲夫, 佐藤学, 伊藤弘昌, 応用物理, 67, 9, 1046-1050 (1998).
- 108 Periodically-Poled LiNbO₃ Optical Parametric Oscillator with 55% Slope Efficiency Pumped by a Q-switched Nd:YAG Laser, Shunsuke IZUMI, Manabu SATO, Johji SUZUKI, Tetsuo TANIUCHI and Hiromasa ITO, Jpn. J. Appl. Phys., 37 (1998), L1383-L1385, Part2, 11B.

- 109 Sulfur diffusion into $\text{Ga}_{1-x}\text{Al}_x\text{As}$ with various Al content, Hiroshi Nishi, Yoshiji Horikoshi, Hiromasa Ito, J. Applied Physics, 84, 10, 5811-5813 (1998).
- 110 A New Technique of Optical Ranging by a Frequency-Shifted Feedback Laser, Koichiro Nakamura, Toshiharu Miyahara, Masato Yoshida, Takefumi Hara, and Hiromasa Ito, IEEE Photonics Technology Letters, 10, 12, 1772-1774 (1998).
- 111 半導体レーザー励起 $\text{Nd}:\text{YVO}_4$ 周波数シフト帰還型レーザー, 中村孝一郎, 伊藤弘昌, レーザー研究, 26, 12, 887-891 (1998).
- 112 Enhancement of terahertz-wave output from LiNbO_3 optical parametric oscillators by cryogenic cooling, Jun-ichi Shikata, Manabu Sato, Tetsuo Taniuchi, and Hiromasa Ito, Optics Letters, 24, 4, 202-204 (1999).
- 113 周波数シフト帰還型レーザーを用いたリフレクトメトリー, 中村孝一郎, 伊藤弘昌, 光学, 28, 3, 147-148 (1999).
- 114 Mid-infrared (5-12- μm) and limited (5.5-8.5- μm) single-knob tuning generated by difference-frequency mixing in single-crystal AgGaS_2 , Sajjad Haidar, Koichiro Nakamura, Eiji Niwa, Katashi Masumoto, and Hiromasa Ito, Applied Optics, 38, 9, 1798-1801 (1999).
- 115 Generation of 6.6- μm optical parametric oscillation with periodically poled LiNbO_3 , Manabu Sato, Takaaki Hatanaka, Shunsuke Izumi, Tetsuo Taniuchi, and Hiromasa Ito, Applied Optics, 38, 12, 2560-2563 (1999).
- 116 Characteristics of Coherent Terahertz Wave Generation from LiNbO_3 Optical Parametric Oscillator, Junichi Shikata, Kodo Kawase, Manabu Sato, Tetsuo Taniuchi, and Hiromasa Ito, Electronics and Communications in Japan, Part. 2, 82, 5, 46-53 (1999).
- 117 Tunable terahertz-wave generation from $\text{MgO}:\text{LiNbO}_3$ optical parametric oscillator, Jun-ichi Shikata, Ken-ichi Karino, Hiromasa Ito, and Kodo Kawase, OSA Trends in Optics and Photonics Series, 26, 481-486 (1999).
- 118 台形非線形光学結晶を用いたテラヘルツ帯パラメトリック発振器, 森川顕洋, 川瀬晃道, 四方潤一, 谷内哲夫, 伊藤弘昌, レーザー研究, 27, 6, 426-429 (1999).
- 119 Organic nonlinear optical crystal DAST growth and its device applications, Shunichi Sohma, Hidenori Takahashi, Tetsuo Taniuchi and Hiromasa Ito, Chemical Physics, 245, 1-3, 359-364 (1999).

- 120 周波数シフト帰還型ファイバレーザー, 吉田真人, 中村孝一郎, 伊藤弘昌, レーザー研究, 27, 7, 490-494 (1999).
- 121 Difference-frequency terahertz-wave generation from 4-dimethylamino-N-methyl-4-stilbazolium-tosylate by use of an electronically tuned Ti:sapphire laser, K. Kawase, M. Mizuno, S. Sohma, H. Takahashi, and T. Taniuchi, Y. Urata, S. Wada, and H. Tashiro, H. Ito, Optics Letters, 24, 15, 1065-1067 (1999).
- 122 DFG THz-wave generation in DAST using dual wavelength Ti:Al₂O₃ laser, Maya Mizuno, Kodo Kawase, Syunichi Soma, Hidenori Takahashi, Yoshiharu Urata, Satoshi Wada, Hideo Tashiro and Hiromasa Ito, Terahertz Spectroscopy and Applications II, Proc. SPIE, 3828, 125-130 (1999).
- 123 Optical Parametric THz-wave generation using trapezoidal LiNbO₃, Akihiro Morikawa, Kodo Kawase, Junichi Shikata, Tetsuo Taniuchi and Hiromasa Ito, Terahertz Spectroscopy and Applications II, Proc. SPIE, 3828, 302-310 (1999).
- 124 周波数シフト帰還型レーザー, 中村孝一郎, 伊藤弘昌, 応用物理, 68, 9, 1014-1020 (1999).
- 125 コヒーレント THz 波発生, 谷内哲夫, 伊藤弘昌, 電子情報通信学会誌, 82, 9, 943-946 (1999).
- 126 Injection-seeded optical parametric oscillator for efficient difference frequency generation in mid-IR, S. Haidar, H. Ito, Optics Communication, 171 (1999) 171-176.
- 127 パラメトリック発振による THz 光の発生, 川瀬晃道, 伊藤弘昌, 応用物理, 68, 12, 1388-1389 (1999).
- 128 High Order Quasi-Phase-Matched Second Harmonic Generations in Periodically Poled Lithium Niobate, Nai-Ei Yu, Jung-Hoon Ro, Hong-Ki Kim, and Myoungsik Cha, Takaaki Hatanaka, Koichiro Nakamura and Hiromasa Ito, Journal of Korean Physical Society, 35 (1999), S1384-1386.
- 129 総論 -テラフォトンクスへの歩み- (特集・テラヘルツ光学), 伊藤弘昌, O plus E, 22, 1, 32-33 (2000).
- 130 Growth of twin-free AgGaS₂ single crystals by a self-seeding vertical gradient freezing method and difference frequency generation using these crystals, Eiji Niwa, Sajjad Haidar, Katashi Masumoto, and Hiromasa Ito, Jpn. J. Appl. Phys., 39 (2000), 39-1, 46-47.

- 131 Optical frequency domain ranging by a frequency-shifted feedback laser, Koichiro Nakamura, Takefumi Hara, Masato Yoshida, Toshiharu Miyahara, and Hiromasa Ito, IEEE Journal of Quantum Electronics, 36, 3, 305-316 (2000).
- 132 Tunable THz-wave parametric oscillation using LiNbO_3 and $\text{MgO}:\text{LiNbO}_3$ crystals, J. Shikata, K. Kawase, K. Karino, T. Taniuchi, and H. Ito, IEEE Trans. on Microwave Theory and Techniques, 48, 4, 653-661 (2000).
- 133 $\text{MgO}:\text{LiNbO}_3$ を用いた THz 波パラメトリック特性の検討, 狩野健一, 四方潤一, 川瀬晃道, 伊藤弘昌, 佐橋家隆, 電子情報通信学会論文誌, J83-C, 4, 268-275 (2000).
- 134 Quasi-phase-matched optical parametric oscillation with periodically poled stoichiometric LiTaO_3 , Takaaki Hatanaka, Koichiro Nakamura, Tetsuo Taniuchi, Hiromasa Ito, Yasunori Furukawa and Kenji Kitamura, Optics Letters, 25, 9, 651-653 (2000).
- 135 SURFACE-EMITTED DIFFERENCE FREQUENCY GENERATION IN PERIODICALLY POLED STEP-INDEX PLANAR WAVEGUIDE, Yuri Avetisyan, Hiromasa Ito, Journal of Applied Electromagnetism, 3, 1, 51-58 (2000).
- 136 Far-infrared properties of DAST, Markus Walther, Kasper Jensby, Soren Rud Keiding, Hidenori Takahashi, and Hiromasa Ito, Optics Letters, 25, 12, 911-913 (2000).
- 137 Atomic-force microscope observation and molecular-scale flattening of the single-crystal surface of 4-dimethylamino-N -methyl-4-stilbazolium tosylate (DAST), H. Nanjo, P. Qian, N. Sanada and T. M. Suzuki, H. Takahashi and H. Ito, K. Komatsu, Optics Letters, 25, 15, 1107-1109 (2000).
- 138 Dual signal-wave optical parametric oscillator using periodically poled LiNbO_3 with series gratings, T. Hatanaka, K. Nakamura, T. Taniuchi and H. Ito, Electronics Letters, 36, 16, 1409-1411 (2000).
- 139 Tunable terahertz-wave generation in DAST crystal with dual-wavelength KTP optical parametric oscillator, T. Taniuchi, J. Shikata and H. Ito, Electronics Letters, 36, 16, 1414-1416 (2000).
- 140 光波からテラヘルツ波への波長変換, 川瀬晃道, 伊藤弘昌, エレクトロニクス, 45, 9, 60-63 (2000).

- 141 周波数シフト帰還型ファイバレーザを用いた光ファイバの分散測定：群速度分散測定, 吉田真人, 宮本敏行, 中村孝一郎, 伊藤弘昌, 電子情報通信学会論文誌 B, J83-B, 11, 1608-1613 (2000).
- 142 Tunable THz-wave generation from DAST crystal using dual signal-wave parametric oscillation of periodically poled lithium niobate, Kodo Kawase, Takaaki Hatanaka, Hidenori Takahashi, Koichiro Nakamura, Tetsuo Taniuchi, and Hiromasa Ito, Optics Letters, 25, 23, 1714-1716 (2000).
- 143 Surface-emitted difference frequency generation in non-ferroelectric materials, Yu. H. Avetisyan, K. Kawase, and H. Ito, Terahertz and Gigahertz Electronics and Photonics II, Proc. SPIE, 4111, 382-390 (2000).
- 144 Subpicosecond Pulse Transmission over 144 km Using Midway Optical Phase Conjugation via a Cascaded Second-Order Process in a LiNbO_3 Waveguide, D. Kunitatsu, C. Q. Xu, M. D. Pelusi, X. Wang, K. Kikuchi, H. Ito, and A. Suzuki, IEEE Photonics Technology Letters, 12, 12, 1621-1623 (2000).
- 145 強誘電体 PVDF をクラッディング材とする可とう性テラヘルツ帯中空導波路, 日高建彦, 伊藤弘昌, 諸橋功, 小森和弘, 中川格, 電子情報通信学会論文誌 C, J84-C, 1, 57-60 (2001).
- 146 Fixed-in Variable-out Wavelength Conversion Using LiNbO_3 Quasiphasematched Wavelength Converter, Chang-Qing XU, Bing ZHOU, Yee Loy LAM, Shin ARAHIRA, Yoh OGAWA and Hiromasa ITO, Jpn. J. Appl. Phys., 40 (2001), L158-L159, Part 2, 2B.
- 147 Injection-seeded terahertz-wave parametric oscillator, Kazuhiro Imai, Kodo Kawase, Jun-ichi Shikata, Hiroaki Minamide and Hiromasa Ito, Applied Physics Letters, 78, 8, 1026-1028 (2001).
- 148 テラヘルツパラメトリック発振の光注入動作, 今井一宏, 菅原郷史, 四方潤一, 川瀬晃道, 南出泰亜, 伊藤弘昌, 電子情報通信学会論文誌, J84-C, 3, 184-191 (2001).
- 149 Average atmosphere temperature measurement by a Frequency-Shifted Feedback laser, Noriko Kibayashi, Takefumi Hara, Masato Yoshida, Koichiro Nakamura, and Hiromasa Ito, Proceedings of SPIE, 4150, 322-329 (2001).
- 150 Transform-limited, narrow-linewidth, terahertz-wave parametric generator, Kodo Kawase, Jun-ichi Shikata, Kazuhiro Imai, and Hiromasa Ito, Applied Physics Letters, 78, 19, 2819-2821 (2001).

- 151 Arrayed silicon prism coupler for a THz-wave parametric oscillator, Kodo Kawase, Junichi Shikata, Hiroaki Minamide, Kazuhiro Imai, and Hiromasa Ito, *Applied Optics*, 40, 9, 1423-1426 (2001).
- 152 A new method for measurement of group velocity dispersion of optical fibers by using a frequency-shifted feedback fiber laser, Masato Yoshida, Koichiro Nakamura, and Hiromasa Ito, *IEEE Photonics Technology Letters*, 13, 3, 227-229 (2001).
- 153 High Output Energy Quasi-Phase-Matched Optical Parametric Oscillator Using Diffusion-Bonded Periodically Poled and Single Domain LiNbO₃, Koichiro Nakamura, Takaaki Hatanaka, and Hiromasa Ito, *Japanese Journal of Applied Physics*, 40, 4A, L337 - L339 (2001).
- 154 Periodically Poled LiNbO₃ OPO for Generating Mid IR to Terahertz Waves, Hiromasa Ito, Takaaki Hatanaka, Sajad Haidar, Koichiro Nakamura, Kodo Kawase and Tetsuo Taniuchi, *Ferroelectrics*, 253, 95-104 (2001).
- 155 光注入型 THz 波パラメトリック発生器, 川瀬晃道, 四方潤一, 今井一宏, 伊藤弘昌, *レーザー研究*, 29, 7, 452-456 (2001).
- 156 Nano-polishing Procedure for Molecular-Scale Flattening at (001) and (00-1) Parallel Surfaces of 4-Dimethylamino-N-methyl-4-stilbazolium Tosylate Crystal, Hiroshi NANJO, Pu QOAN, Norio SANADA, Toshishige M. SUZUKI, Kyoji KOMATSU, Hidenori TAKAHASHI and Hiromasa ITO, *Jpn. J. Appl. Phys.*, 40 (2001), 4556-4558, Part 1, 7.
- 157 A frequency-agile terahertz-wave parametric oscillator, Kazuhiro Imai, Kodo Kawase and Hiromasa Ito, *Optics Express*, 8, 13, 699-704 (2001).
- 158 Novel PMD measurement method based on OFDR using a frequency-shifted feedback fiber laser, M. Yoshida, T. Miyamoto, Nianyu Zou, K. Nakamura and H. Ito, *Optics Express*, 9, 4, 207-211 (2001).
- 159 Tabletop terahertz-wave parametric generator using a compact, diode-pumped Nd:YAG laser, Atsushi Sato, Kodo Kawase, Hiroaki Minamide, Satoshi Wada, and Hiromasa Ito, *Review of Scientific Instruments*, 72, 9, 3501-3504 (2001).
- 160 A Tabletop Terahertz-Wave Parametric Generator Using a Diode-Pumped Solid-State Laser, Atsushi Sato, Kodo Kawase, Hiroaki Minamide, Satoshi Wada, and Hiromasa Ito, *Trends in Optics and Photonics Series (TOPS)*, 50, 456-460 (2001).

- 161 Scanning-nonlinear-dielectric-microscopy study on periodically poled LiNbO_3 for a high-performance quasi-phase matching device, Yasuo Cho, Satoshi Kazuta, and Hiromasa Ito, *Applied Physics Letters*, 79, 18, 2955-2957 (2001).
- 162 Analysis of THz-wave surface-emitted difference-frequency generation in periodically poled lithium niobate waveguide, Y. Avetisyan, Y. Sasaki, H. Ito, *Applied Physics B*, 73, 511-514 (2001).
- 163 Laser Performance of Neodymium-Doped Lanthanum Tungstate Crystals, Yoshiharu URATA, Tsuguo FUKUDA, Hiromasa ITO and Satoshi WADA, *Jpn. J. Appl. Phys.*, 40 (2001), 6453-6454, Part 1, 11.
- 164 連続周波数可変リング型 THz 波パラメトリック発振器, 南出泰亜, 川瀬晃道, 今井一宏, 佐藤篤, 伊藤弘昌, *レーザー研究*, 29, 11, 744-748 (2001).
- 165 Injection-seeded terahertz-wave parametric generator with wide tenability, Kodo Kawase, Hiroaki Minamide, Kazuhiro Imai, Jun-ichi Shikata, and Hiromasa Ito, *Applied Physics Letters*, 80, 2, 195-197 (2002).
- 166 Fourier-Transform Spectrometer with a Terahertz-Wave Parametric Generator, Jun-ichi Shikata, Kodo Kawase, Tetsuo Taniuchi, and Hiromasa Ito, *Japanese Journal of Applied Physics*, Part 1, 41, 1, 134-138 (2002).
- 167 PMD measurement based on delayed self-heterodyne OFDR and experimental comparison with ITU-T round robin measurements, Nianyu Zou, Masato Yoshida, Yoshinori Namihira, Hiromasa Ito, *Electronics Letters*, 38, 3, 115-116 (2002).
- 168 テラフォトリクス光源 - 波長可変 THz 波の発生と応用可能性 -, 川瀬晃道, 伊藤弘昌, *応用物理*, 71, 2, 167-172 (2002).
- 169 テラヘルツ波の発生と制御 (招待論文), 四方潤一, 川瀬晃道, 伊藤弘昌, *電子情報通信学会論文誌 C*, J85-C, 2, 52-63 (2002).
- 170 周波数シフト帰還型レーザによる光距離計測, 中村孝一郎, 原 武文, 伊藤弘昌, *電子情報通信学会論文誌 C*, J85-C, 2, 64-71 (2002).
- 171 Periodically poled lithium niobate optical parametric oscillator pumped at $0.532\mu\text{m}$ and use of its output to produce tunable $4.6\text{--}8.3\mu\text{m}$ in AgGaS_2 crystal, S. Haidar, and H. Ito, *Optics Communications*, 202, 227-231 (2002).

- 172 Terahertz wave parametric source (Topical Review), Kodo Kawase, Jun-ichi Shikata and Hiromasa Ito, *Journal of Physics D: Applied Physics*, 35, 3, R1-R14 (2002).
- 173 高速周波数可変テラヘルツ波パラメトリック発振器, 今井一宏, 川瀬晃道, 南出泰重, 伊藤弘昌, *電子情報通信学会論文誌 C*, J85-C, 4, 234-240 (2002).
- 174 Terahertz-wave parametric generation characteristics of $\text{MgO}:\text{LiNbO}_3$, Ken-ichi Karino, Jun-ichi Shikata, Kodo Kawase, Hiromasa Ito, and Ietaka Sahashi, *Electronics and Communications in Japan, Part 2*, 85, 4, 22-29 (2002).
- 175 Narrow-linewidth operation of a compact THz-wave parametric generator system, Atsushi Sato, Kazuhiro Imai, Kodo Kawase, Hiroaki Minamide, Satoshi Wada, and Hiromasa Ito, *Optics Communications*, 207, 1-6, 353-359 (2002).
- 176 非線形光学効果による広帯域波長可変テラヘルツ電磁波放射, 谷内哲夫, 四方潤一, 伊藤弘昌, *レーザー研究*, 30, 7, 365-369 (2002).
- 177 Design of Polarization Retarder Suitable for Nonlinear Optical Systems, S. Haidar, J. Shikata, H. Ito, *Optics and Laser Technology*, 34, 585-587 (2002).
- 178 Difference-frequency mixing of output waves from a periodically poled lithium niobate optical parametric oscillator in a GaSe crystal, S. Haidar, Y. K. Hsu, C. S. Chang, S. C. Wang, and Hiromasa Ito, *Optical Engineering*, 41, 8, 1932-1935 (2002).
- 179 Speed limit of all-optical gate switches using cascaded second-order nonlinear effect in quasi-phase-matched LiNbO_3 devices, Yutaka Fukuchi, Takahide Sakamoto, Kenji Taira, Kazuro Kikuchi, Daisuke Kunimatsu, Akira Suzuki, and Hiromasa Ito, *IEEE Photonics Technology Letters*, 14, 9, 1267-1267 (2002).
- 180 Nd:YAG-pumped periodically poled LiNbO_3 optical parametric generator seeded with the narrowband output of a 532-nm pumped optical parametric generator, Sajjad Haidar, Takeshi Usami, and Hiromasa Ito, *Applied Optics*, 41, 27, 5656-5659 (2002).
- 181 Terahertz-wave surface-emitted difference frequency generation in slant-stripe-type periodically poled LiNbO_3 crystal, Yuzo Sasaki, Avetisyan Yuri, Kodo Kawase, and Hiromasa Ito, *Applied Physics Letters*, 81, 18, 3323-3325 (2002).

- 182 Noise waveforms with repetitive phase and nonrepetitive amplitude, Frank V. Kowalski, Cheikh Ndiaye, Koichiro Nakamura, Hiromasa Ito, Optics Letters, 27, 22, 1965-1967 (2002).
- 183 Achromatically injection-seeded terahertz-wave parametric generator, Kazuhiro Imai, Kodo Kawase, Minamide Hiroaki, and Hiromasa Ito, Optics Letters, 27, 24, 2173-2175 (2002).
- 184 強誘電体単結晶のドメイン構造制御による広帯域波長可変光源, 中村孝一郎, 伊藤弘昌, 機能材料, 22, 12, 34-42 (2002).
- 185 Theoretical analysis of laterally emitting terahertz-wave generation by difference-frequency generation in channel waveguides, Toshiaki Suhara, Yuri Avetisyan, and Hiromasa Ito, IEEE Journal of Quantum Electronics, 39, 1, 166-171 (2003).
- 186 Seed-source tuning of a broadband noncollinear OPG based on PPLN, S. Haidar, T. Usami, J. Shikata, H. Ito, Optical Engineering, 42, 1, 143-147 (2003).
- 187 The effect of injection seeding on terahertz parametric oscillation, Kazuhiro Imai, Satoshi Sugawara, Junichi Shikata, Kodo Kawase, Hiroaki Minamide, and Hiromasa Ito, Electronics and Communications in Japan, Part 2, 86, 1, 26-35 (2003).
- 188 A rapidly tunable terahertz-wave parametric oscillator, Kazuhiro Imai, Kodo Kawase, Hiroaki Minamide, and Hiromasa Ito, Electronics and Communications in Japan, Part 2, 86, 4, 18-26 (2003).
- 189 Temperature tuning of 5-12 μm by difference frequency mixing of OPO outputs in a AgGaS₂ crystal, S. Haidar, E. Niwa, K. Masumoto, and H. Ito, Journal of Physics D: Applied Physics, 36 (2003), 1071-1074.
- 190 An Integrated Acousto-Optic Frequency Shifter Driven by Surface Acoustic Wave for 1.55 μm Optical Wavelength, Shoji Kakio, Nianyu Zou, Michihide Kitamura, Hiromasa Ito, and Yasuhiko Nakagawa, Jpn. J. Appl. Phys., Part.1, 42, 5B, 3063-3066 (2003).
- 191 Component spatial pattern analysis of chemicals using terahertz spectroscopic imaging, Y. Watanabe, K. Kawase, T. Ikari, H. Ito, Y. Ishikawa and H. Minamide, Applied Physics Letters, 83, 4, 800-802 (2003).

- 192 Spatial Pattern Separation of Chemicals and Frequency-Independent Components by Terahertz Spectroscopic Imaging, Yuuki Watanabe, Kodo Kawase, Tomofumi Ikari, Hiromasa Ito, Youichi Ishikawa, Hiroaki Minamide, *Applied Optics*, 42, 28, 5744-5748 (2003).
- 193 弾性表面波を用いた導波路型光周波数シフトと周波数シフト帰還型ファイバレーザへの応用, 垣尾省司, 北村通英, 中川恭彦, 鄒念育, 原武文, 伊藤弘昌, 飯塚孝, 小林哲也, 渡辺正行, 電子情報通信学会論文誌 C, J86-C, 12, 1263-1271 (2003).
- 194 Electro-optic tuning of a periodically poled LiNbO₃ optical parametric oscillator and mixing its output waves to generate mid-IR tunable from 9.4 to 10.5 μm , S. Haidar, Y. Sasaki, E. Niwa, K. Masumoto and H. Ito, *Optics Communications*, 229, 325-330 (2004).
- 195 Noise waveforms generated by frequency shifted feedback lasers: application to multiple access communications, Frank V. Kowalski, Cheikh Ndiaye, Koichiro Nakamura, Hiromasa Ito, *Optics Communications*, 231 (2004), 149-164.
- 196 Component analysis of chemical mixtures using terahertz spectroscopic imaging, Y. Watanabe, K. Kawase, T. Ikari, H. Ito, Y. Ishikawa, H. Minamide, *Optics Communications*, 234, 125-129 (2004).
- 197 テラヘルツ分光イメージングによる試薬の成分解析, 川瀬晃道, 渡部裕輝, 小川雄一, 伊藤弘昌, 電気学会誌, 124-C, 7, 1339-1344 (2004).
- 198 Dual-wavelength optical-pulse source based on diode lasers for high-repetition-rate, narrow-bandwidth terahertz-wave generation, Yuzo Sasaki, Hiroyuki Yokoyama, and Hiromasa Ito, *Optics Express*, 12, 14, 3066-3071 (2004).
- 199 Generation of tunable mid-IR (5.5-9.3 μm) from a 2- μm pumped ZnGeP₂ optical parametric oscillator, S. Haidar, K. Miyamoto, H. Ito, *Optics Communications*, 241, 173-178 (2004).
- 200 Generation of continuously tunable, 5-12 μm radiation by difference frequency mixing of output waves of a KTP optical parametric oscillator in a ZnGeP₂ crystal, S. Haidar, K. Miyamoto, H. Ito, *J. Phys. D: Appl. Phys.* 37 (2004), 3347-3349.
- 201 Low-frequency vibrational modes of riboflavin and related compounds, Masae Takahashi, Yoichi Ishikawa, Jun-ichi Nishizawa, Hiromasa Ito, *Chemical Physics Letters*, 401 (2005), 475-482.

- 202 Terahertz generation with tandem seeded optical parametric generators, P. E. Powers, R. A. Alkuwari, J. W. Haus, K. Suizu and H. Ito, *Optics Letters*, 30, 6, 640-642 (2005).
- 203 Correlation Field Splitting of Intramolecular Vibrations of Crystalline Tetracene in Terahertz Region, Tomoaki YAGO, Youichi ISHIKAWA, Hiromasa ITO, Hiromasa TANAKA, Eunsang KWON, Kenkichi SAKAMOTO, Ken SUTO, Minro WATANABE and Jun-ichi NISHIZAWA, *Japanese Journal of Applied Physics*, 44, 6A, 4145-4150 (2005).
- 204 周波数シフト帰還型レーザーによる超高精度光計測技術, 原武文, Cheikh Ndiaye, 伊藤弘昌, *応用物理*, 74, 6, 697-702 (2005).
- 205 弾性表面波を用いた導波路型音響光学変調素子の光回折特性と BPM 解析, 垣尾省司, 魚谷真司, 中川恭彦, 原武文, 伊藤弘昌, 小林哲也, 渡辺正行, *信学技報*, OCS2005-29, 17-22 (2005).
- 206 Surface-emitted continuous-wave terahertz radiation using periodically poled lithium niobate, Y. Sasaki, H. Yokoyama and H. Ito, *Electron. Lett.*, 41, 12, 712-713 (2005).
- 207 Diffraction properties and beam-propagation analysis of waveguide-type acoustooptic modulator driven by surface acoustic wave, Shoji Kakio, Shinji Uotani, Yasuhiko Nakagawa, Takefumi Hara, Hiromasa Ito, Takashi Iizuka, Tetsuya Kobayashi and Masayuki Watanabe, *Japanese Journal of Applied Physics*, 44 (6B), 4472-4476 (2005).
- 208 Terahertz Near-Field Imaging Using Enhanced Transmission through a Single Subwavelength Aperture, Kunihiro ISHIHARA, Tomofumi IKARI, Hiroaki MINAMIDE, Jun-ichi SHIKATA, Keishi OHASHI, Hiroyuki YOKOYAMA, Hiromasa ITO, *Jpn. J. Appl. Phys.*, 44, 29, L929 - L931 (2005).
- 209 Terahertz Wave Enhanced Transmission through a Single Subwavelength Aperture with Periodic Surface Structures, Kunihiro ISHIHARA, Gen-ichi HATAKOSHI, Tomofumi IKARI, Hiroaki MINAMIDE, Hiromasa ITO, Keishi OHASHI, *Jpn. J. Appl. Phys.*, 44, 32, L1005 - L1007 (2005).
- 210 Ferroelectric PVDF cladding terahertz waveguide, Takehiko Hidaka, Hiroaki Minamide, Hiromasa Ito, Jun-ichi Nishizawa, Kouta Tamura, and Shinto Ichikawa, *J. Lightw. Technol.*, 23, 8, 2469-2473 (2005).

- 211 Pulsed intracavity optical parametric oscillator with high average power based on periodically poled LiNbO_3 , Ki-Ho Cho, Bum Ku Rhee, Yuzo Sasaki and Hiromasa Ito, *J. of Nonlinear Optical Physics & Materials*, 14 (3), 383-389 (2005).
- 212 Surface-emitted terahertz-wave difference-frequency generation in two-dimensional periodically poled lithium niobate, Yuzo Sasaki, Yuri Avetisyan, Hiroyuki Yokoyama, Hiromasa Ito, *Opt. Lett.*, 30, 21, 2927-2929 (2005).
- 213 THz-wave parametric oscillator with a surface-emitted configuration, T. Ikari, X. Zhang, H. Minamide, and H. Ito, *Optics Express*, 14, 4, 1604-1610 (2006).
- 214 All-solid-state, narrow linewidth, wavelength-agile terahertz-wave generator, Ruixiang Guo, Koichi Akiyama, Hiroaki Minamide and Hiromasa Ito, *Applied Physics Letters*, 88, 9, 091120-091120-3 (2006).
- 215 Surface-emitted terahertz-wave difference-frequency generation in periodically poled lithium niobate ridge-type waveguide, Yuzo Sasaki, Yusaku Suzuki, Koji Suizu, Hiromasa Ito, Shoichiro Yamaguchi and Minoru Imaeda, *Japanese Journal of Applied Physics*, 45, 13, L367-369 (2006).
- 216 Surface-emitted terahertz-wave generation by ridged periodically poled lithium niobate and enhancement by mixing of two terahertz waves, K. Suizu, Y. Suzuki, Y. Sasaki, H. Ito, and Y. Avetisyan, *Optics Letters*, 31, 7, 957-959 (2006).
- 217 Two-photon bioimaging with picosecond optical pulses from a semiconductor laser, Hiroyuki Yokoyama, Hengchang Guo, Takuya Yoda, Keiji Takashima, Ki-ichi Sato, Hirokazu Taniguchi, and Hiromasa Ito, *Optics Express*, 14, 8, 3467-3471 (2006).
- 218 NiSi 熱センサによるレーザー光の検出, 安平光雄, 宮本克彦, 伊藤弘昌, レーザー研究, 34, 5, 379-381 (2006).
- 219 Low-frequency vibrations of crystalline α , α -trehalose dihydrate, Masae Takahashi, Yoshiyuki Kawazoe, Yoichi Ishikawa, and Hiromasa Ito, *Chemical Physics Letters*, 429, 371-377 (2006).
- 220 Optical tunable delay lines using fiber ring with acousto-optic frequency shifters and EDFAs: I . experimental demonstration, Katsumi Takano, Kiyoshi Nakagawa, and Hiromasa Ito, *IEICE Electronics Express*, 3, 20 442-446 (2006).

- 221 Optical tunable delay lines using fiber ring with acousto-optic frequency shifters and EDFAs: II. SNR analysis, Katsumi Takano, Kiyoshi Nakagawa, and Hiromasa Ito, IEICE Electronics Express, 3, 20, 447-452 (2006).
- 222 Influence of optical filters on pulse circulation in fiber rings with a frequency shifter and EDFA, Katsumi Takano, Kiyoshi Nakagawa, and Hiromasa Ito, OSA Optics Express, Vol. 14, No. 22, pp. 10313-10323 (2006).
- 223 Terahertz-wave near-field imaging with subwavelength resolution using surface-wave-assisted bow-tie aperture, Kunihiro Ishihara, Keishi Ohashi, Tomofumi Ikari, Hiroaki Minamide, Hiroyuki Yokoyama, Jun-ichi Shikata, Hiromasa Ito, Appl. Phys. Lett., 89, 20, 201120 (2006).
- 224 Wavelength-agile mid-infrared (5-10 μ m) generation using a galvano-controlled KTiOPO₄ optical parametric oscillator, Katsuhiko Miyamoto, Hiromasa Ito, Opt. Lett., 32, 3 (2007). (in press)

III. 書評・紹介

- 1 「グローバル」な産学官連携を, 伊藤弘昌, オプトロニクス, No.10 (2003).
- 2 光技術と産学連携, 伊藤弘昌, レーザー研究, 32, 3 (2004).
- 3 光波を用いた生体分子のテラヘルツ・センシング, 四方潤一, 鈴木要, 伊藤弘昌, 光技術コンタクト, 43, 4, 196-204 (2005).
- 4 テラヘルツ波の課題と展望, 伊藤弘昌, 電子情報通信学会誌, 89, 6, 450-455 (2006).